

Cell and nuclear division

What happens in cell division?

Cell and nuclear division

How does cytokinesis happen in an animal cell?

Cell and nuclear division

How does cytokinesis happen in a plant cell?

Cell and nuclear division

Name two examples of unequal cytokinesis.

Cell and nuclear division

Why must the nucleus divide before the cell divides?

Cell and nuclear division

Mitosis vs meiosis: effect on chromosome number?

Cell and nuclear division

What does a chromosome consist of after DNA replication?

Cell and nuclear division

How are chromosomes condensed and moved?

A ring of contractile actin and myosin proteins pinches the cell membrane inwards until the cytoplasm is split.

A parent (mother) cell divides to produce two daughter cells.

Oogenesis in humans (polar bodies are tiny) and budding in yeast.

Vesicles gather at the equator and assemble sections of new cell membrane and cell wall across the cell.

Mitosis maintains the chromosome number and genome; meiosis halves the chromosome number and generates genetic diversity.

To avoid producing anucleate cells (cells with no nucleus).

DNA supercoils around histones to condense; spindle microtubules and microtubule motor proteins move the chromosomes.

Two elongated DNA molecules (sister chromatids) held together until anaphase.

Cell and nuclear division

Phases of mitosis in order?

Cell and nuclear division

Why are the nuclei produced by mitosis genetically identical?

Cell and nuclear division

How do you recognise metaphase in a micrograph?

Cell and nuclear division

Diploid vs haploid?

Cell and nuclear division

The two rounds of segregation in meiosis?

Cell and nuclear division

What is non-disjunction, and an example?

Cell and nuclear division

Two ways meiosis generates genetic diversity?

Replication makes exact copies of each chromosome, and one chromatid of every chromosome goes to each pole in anaphase.

Prophase, metaphase, anaphase, telophase.

Diploid ($2n$): two of each type of chromosome. Haploid (n): one of each type of chromosome.

Chromosomes lined up across the equator (middle) of the cell, with no nuclear membrane.

Failure of homologous chromosomes or sister chromatids to separate in meiosis. Example: trisomy 21, Down syndrome.

Meiosis I: homologous chromosomes separate. Meiosis II: sister chromatids separate. Result: four haploid nuclei.

Crossing over between non-sister chromatids (prophase I) and random orientation of bivalents (metaphase I).